ALUMINUM SPRINGBOARDS







16' MAXIFLEX - MODEL B CATALOG # 66-231-330

The 16' Maxiflex model B (also called Maxi-B) is the diving board that is used in all major competitive diving events in the world. The Maxi-B is the diving board to specify for facilities that have any competitive diving events.

The 16' Maxi-B is tapered from the fulcrum area to the diving tip, and it is tapered from the fulcrum area to the anchor end. The double-taper allows the whole board to arc while flexing, giving it much more lift than the 16' Duraflex. What distinguishes the Maxi-B from the other models is that the board has 189 slots at the tip end.



16' DURAFLEX CATALOG # 66-231-326

The 16' Duraflex is used for recreational diving in commercial pools that conform to USA Diving, FINA or NCAA minimum dimensions. They are tapered from the fulcrum area to the diving tip.



14' DURAFLEX
CATALOG # 66-231-324

The 14' Duraflex is used for recreational diving in commercial pools that conform to USA Diving, FINA or NCAA minimum dimensions. They are tapered from the fulcrum area to the diving tip.

ALUMINUM SPRINGBOARDS

Our aluminum springboards are a one piece ribbed extrusion of heattreated, aircraft grade aluminum alloy. A torsional stabilizer is attached to the bottom. The boards are coated with a slip-resistant surface. The underside of the board is protected from direct contact with our fulcrum by rubber channels attached to the ribs.

Warning: The pool where these boards will be installed must have diving-well dimensions conforming to FINA, USA Diving, or NCAA minimum dimensions.




160 WUNOTOO ROAD SPARKS, NEVADA 89434 PHONE 775.343.0115 • FAX 775.343.0203

DURAFLEXINTERNATIONAL.COM







SHORT STANDS









SHORT STANDS

CATALOG # 70-231-520
SHORT STAND WITH HANDRAILS
CATALOG # 70-231-524
SHORT STAND WITHOUT HANDRAILS

The Duraflex short stand is designed to provide a firm foundation for mounting Duraflex aluminum springboards. The Duraflex short stands are designed to mount on your concrete pedestal or platform.

The stand consists of a short stand anchor and a fulcrum assembly. The major components are heavy duty aluminum castings coated with top quality epoxy powder coating. Hard-anodized forged aluminum hinges mounted to the short stand anchor provide the attachment points for the Duraflex springboards.

The Duraflex #520 stands also include double stainless steel handrails on both sides. Drawings and CAD blocks are available upon request.




160 WUNOTOO ROAD SPARKS, NEVADA 89434 PHONE 775.343.0115 • FAX 775.343.0203

DURAFLEXINTERNATIONAL.COM





1 METER STANDS







BY A ARA TO ZOX SET 200 OX 501 SET 200 OX 502 SET 200 OX 502 SET 200 OX 503 SET 200 OX 50

1 METER STANDS

CATALOG # 70-231-400

The 1-meter Duraflex stand is designed to provide a firm foundation for mounting Duraflex aluminum springboards. The Duraflex stand is the result of design focused on stability, low noise level and ease of installation.

Duraflex stands can easily be installed at an existing pool without the need for costly excavation. The stand consists of a ladder assembly, fulcrum assembly and main support assembly. The major components are heavy duty aluminum castings coated with top quality epoxy powder coating.

The ladder assembly features wide, comfortable steps with replaceable slipresistant treads. Hard-anodized, forged aluminum hinges mounted to a heavy cast anchor plate provide the attachment points for the Duraflex springboards.

The Duraflex stands have double stainless-steel handrails on both sides. The 1-meter structures are manufactured in five different heights to accommodate various deck to water levels. The deck to water dimension of the pool, deck slope and diving board model must be indicated when ordering. This information is used to determine the correct stand height for your facility. Drawings and CAD files can then be provided.



160 WUNOTOO ROAD SPARKS, NEVADA 89434 PHONE 775.343.0115 • FAX 775.343.0203

DURAFLEXINTERNATIONAL.COM





3 METER STANDS







THREE METER WE STORE ENVIRABLE ASSEMBLY THREE METER WHO SUPPLIES STORE FLEVATION WE STORE LEVEL WATER LEVEL PLAN VIEW AT DECK TRANCE THREE METER WATER LEVEL TO BORRO THREE METER THREE METER

3 METER STANDS

CATALOG # 70-231-300

The 3-meter Duraflex stand is designed to provide a firm foundation for mounting Duraflex aluminum springboards. The Duraflex stand is the result of design focused on stability, low noise level and ease of installation. Built-in handrails on the ladder provide a comfortable grip.

Duraflex stands can be installed at an existing pool without the need for costly excavation. The stand consists of a ladder assembly, fulcrum assembly and main support assembly. The major components are heavy duty aluminum castings coated with top quality epoxy powder coating.

The ladder assembly features wide, comfortable steps with replaceable slipresistant treads. Hard-anodized forged aluminum hinges mounted to a heavy cast anchor fitting provide the attachment points for the Duraflex springboards.

The Duraflex stands have double stainless-steel handrails on both sides. The 3-meter structures are manufactured in three heights to accommodate various deck to water levels. The deck to water dimension of the pool, deck slope and diving board model must be indicated when ordering. This information is used to determine the correct stand height for your facility. Drawings and CAD files can then be provided.



160 WUNOTOO ROAD SPARKS, NEVADA 89434 PHONE 775.343.0115 • FAX 775.343.0203

DURAFLEXINTERNATIONAL.COM



